ACCELEVISION

AXFD102HDWF (10.2" WITH WIFI STREAMING)

AXFD17HDWF (17" WITH WIFI STREAMING)

- Widescreen Flipdown with WiFi Steaming
- Built in SD card player
- Audio Video inputs
- Wireless IR headphone transmitter
- Wireless FM transmitter
- Led Dome lights
- IR Remote control

LCDHFD9WB (BLACK)
LCDHFD9WG (GRAY)
LCDHFD9WT (TAN)

- 9" Headrest Monitor with Built-In Mutimedia Player
- 800 X 480 Resolution
- 400 NIT
- Built-in IR Audio Transmitters
- 2 Audio / Video Inputs
- 2 Channel IR
- Made in an OEM Factory
- Adjustable Posts (4 to 8")
- Available in 104 PMH Colors

AXFA11WK

- 11" Widescreen Flipdown Monitor with Built-In Mutimedia Player
- Built-In Multi-media player
- 400 NIT
- 800 X 480 Resolution
- Built-In FM Modulator
- Built-In IR Audio
- 3 Position Dome Light
- Black/Grey/Tan Skins Included
- SD Card Reader
- USB Input
- 2 A/V Inputs
- iPod Cable Included

AXFD17BRK

- 17" 1080p Flipdown Monitor with Blu-Ray Player
- Built in SD card player
- Audio Video Inputs
- Wireless IR Headphone Transmitters
- LED Dome Lights
- Din Blu Ray Player
- Compact Size 1 Din
- BD/DVD/VCD/CD
- USB, SD Host
- Support HDMI Output
- 2 AV Outputs
- 1 Coax Audio Output
- IR Sensor Input

LCDMBZ85B

- 8.5" Center Console Mount LCD with Built-In Multimedia Player
- IR Remote OSD
- 400 nit
- 1 A/V In, 1 A/V Out
- Built-In Multimedia DVD Player
- USB/SD Card Reader
- 360 Angel Swivel
- Built-In IR Transmitters

ZICOM

ZFA11W3
- 11" TFT LCD Monitor
- Built-in DVD Player
- NTSC/PAL
- DVD/VCD/SVCD/MP3/CD
- 800 x 480 Pixels
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- On Screen Display (OSD)

ZFA14W
- 14" Widescreen 16:9
- Built-In Multi-media player
- 400 NIT
- 1280x800 Resolution
- Built-In FM Modulator
- Built-In IR Audio
- Dome Light
- SD Card Reader
- USB Input
- 2 A/V Inputs

ZFD11WHDMI
- 11" Flipdown with HDMI
- Built-in Dome Lights
- Two Video Input
- PAL & NTSC Multi-System
- Full Functional Remote
- OSD English Menu
- HDMI Input
- Swivelable Screen
- 12 VDC

ZFD23WHDMI
- 23" Flipdown with HDMI
- Built-in Dome Lights
- Video VGA Inputs
- PAL & NTSC Muli-System
- Pixels : 1920 X 1080
- Display Format : 16:9
- HDMI Input
- Built-in IR Transmitter
- 12VDC 2.5 Amps

ZFD7WC
- 7" TFT Active Matrix
- NTSC/PAL
- 800 x 600 Pixels
- Contrast Ratio 300:1
- Dome Lights
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)

ZFD12WX
- 12.1" Widescreen TFT
- NTSC/PAL
- Dome LIghts
- Built-in IR Function
- 2 Video Inputs
- On Screen Display (OSD)
- IR Headphone Transmitter
- Light Weight, Slim Design
- Display Resolution: 1024 X 800
- Power Input : 12VDC

ZFD14WN
ZFD14W
- 14" TFT Active Matrix
- NTSC/PAL
- 1280 X 768 Pixels
- Two Video Inputs
- Dual Dome Lights
- Wireless Remote Control
- On Screen Display (OSD)

ZICOM

ZFD154W (WITH IR)

ZFD154WS

- 15.4" TFT Active Matrix
- NTSC/PAL
- 1280 x 854 Pixels
- Dome Lights
- 13 11/16"(H) x 13 5/16"(W) x 1 1/2"(D)

ZFD17WT

- 17" TFT Active Matrix
- NTSC/PAL
- 1280 x 854 Pixels
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)
- 14 7/8"(H) x 19 1/2"(W) x 1 7/8"(D)

ZFD19WLN

- 19" TFT LCD Monitor
- NTSC/PAL
- 1440 x 900 Pixels
- 2 Video Inputs
- Dome Lights
- Built-in IR Transmitter
- On Screen Display (OSD)

ZHD700

- 7" Pre-Fab, Dual Disc Headrest Monitors
- Display Size: 7" Widescreen 16:9
- Resolution: 1440 x 234 Pixels
- Built-in Multi-media Player
- High Resolution and Brightness
- Universal Adjustable Headrest Posts
- IR Headphone Transmitter
- FM Wireless Transmitter
- Last Memory Function
- A/V Output and Input
- Anti-Shock Built in
- Available in Black, Tan or Grey

ZHD900

- 9" Pre-Fab, Dual Disc Headrest Monitors
- Display Size: 9" Widescreen 16:9
- Resolution: 1440 x 234 Pixels
- Built-in Multi-media Player
- High Resolution and Brightness
- Universal Adjustable Headrest Posts
- IR Headphone Transmitter
- FM Wireless Transmitter
- Last Memory Function
- A/V Output and Input
- Anti-Shock Built in
- Available in Black, Tan or Grey

ZICOM

ZH58P3
- 5.8" Headrest Widescreen Monitor
- NTSC /PAL
- 1440 x 234 Pixels
- Remote Control
- 2 Video Inputs
- Mounting Brackets Included
- Pedestal Mount Included
- Brightness: 250 NIT
- 5"(H) x 7"(W) x 6 3/4"(D)

ZH70WLS
- 7" Headrest Widescreen Monitor
- NTSC/PAL
- 1440 x 234 Pixels
- 2 Channel IR
- Remote Control
- IR Headphone Transmitter
- Pedestal Mount Included
- Hi-Density LCD Panel
- Contoured Trim Bezel
- Brightness: 250 NIT

ZSV9DRB (BLACK)
ZSV9DRT (TAN)
ZSV9DRG (GRAY)
- 9" Sun Visor Monitor
- High Resolution
- PAL / NTSC
- Wireless Remote Control
- Wide View Angle
- 4 Display Modes

OPTIX-360

OPTIX-DISP-MCT1

MODEL	DISPLAY UNIT	BACK STOCK
LCDP43LW	1	0
RVM430NBTG	1	2
RVC800IRC2	1	2
RVC910	1	2
RVC1150	1	2
DISPLAY & POWER SUPPLY	1	

LIMIT 1 PER LOCATION

OPTIX-360

RVC800IRC2 (CHROME)
RVC800IRB2 (BLACK)
- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

RVC800LPNC (CHROME)
RVC800LPNB (BLACK)
- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

RVC50 (MIRROR)
- License Plate Camera
- 120° View
- Waterproof
- Reverse Image

RVCLPMB (BLACK)
RVCLPM (CHROME)
- License Plate Camera
- 120° View
- Waterproof
- Reverse Image

TLP100IRB (BLACK)
TLP100IRC (CHROME)
- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

TLP100MIRB (BLACK)
TLP100MIRC (CHROME)
- License Plate Camera
- 120° View
- Waterproof
- Reverse Image

OPTIX-360

WPLC296R (REVERSE)
- Color
- Lense 2.96
- Image Sensor 380 TV lines
- Waterproof
- Snap in Flush Mount Ring
- Goes to B/W when Low Light

WPLC36
- Color
- Lense 3.6mm
- 380 TV Lines
- WaterProof
- Size 7/8 X 3”
- Infra-red light Sensitive

WPLC36HR

WPLC36HRIR (IR LIGHT SENSITIVE)

- Color HIGH RES
- Lense 3.6mm
- Lines 560
- WaterProof
- Size 21 X 73
- Infra-red light Sensitive

RVC1200IRN (STANDARD)
RVC1200IR (REVERSE)
- Flush Mount Camera
- Mirror Image
- 120° View
- Lense 2.96mm
- Waterproof
- IR Senders
- Hole Size 1 1/8” X 2” Deep
- Image Sensor 380 TV Lines
- Goes to B/W when Low Light

RVC400R (REVERSE)
- Color
- Lense 2.96mm
- 120°View
- Mirror Image
- 380 TV Lines
- Waterpoof
- 3 3/8” X 1/6”

RVC100
- Black & White
- 3.5mm
- Lines 270
- Waterproof
- Size 64 X 56 X 43

RVC301IR
- IR Flush Mount Camera
- Color Image
- Mirror Image
- 120° View
- Waterproof
- IR Illumination

OPTIX-360

RVC910
- Color
- Lense 2.96
- Image Sensor 380 TV lines
- Waterproof
- Snap in Flush Mount Ring
- Goes to B/W when Low Light

RVC1000
- Mini Super Wide CCD Lens
- Color
- 150º Viewing
- 380 TV Lines
- Waterproof 0.5 Lux
- Standard or Mirror Image

RVC1100 (STICK MOUNT)
- Stick Mount Super Wide Viewing
- Angle Mirror Image
- 160° View
- Lens 2.96mm
- 380 TV Lines
- Waterproof
- 11/8" X 11/2" x 13/8"
- Metal Housing

RVCLRM
- Mini Flexible Rubber Housed Camera
- Resolution : 420TV lines
- Waterproof : IP67
- Power : DC 12V
- 0.2 Luv / F1.8
- -20ºC ~ 60ºC

RVC1300L
- Surface / Flush Mount Camera with interchangeable mounts
- Resolution : 380TV lines
- Waterproof : IP67
- Power : DC 9 - 16 V
- Dimensions : 22mm x 26mm (7/8" x 1")

SVC950
- Side Mount or Under Bumper Camera
- Standard Wide Viewing
- 120° View
- 380 TV Lines
- Waterproof
- 1 1/2" X 1 1/2" X 2 1/4"
- Mirror Image

LCDRV700CCDS
- Side Mount IR Camera
- 1/3" Sharp Sensor CCD
- 102° View
- 420 TV Lines
- Waterproof
- 2 3/8" (H) x 4 1/4" (W) x 4 3/8" (L)

OPTIX-360

SVC300
- Stick Mount Side Camera
- 1/4" CCD sensor
- 130º View
-.1 Lux
- 12VDC
- Sold in sets of left and right
- Pat. Pending

SVC200K
- Side Cameras w/ LED Marker Lights
- Cameras can work with the auto 3 video switcher
- Auto switching cameras when you signal

RVCUT
- Universal Roof Mount Camera

RVCNV
- Nissan NV Vans

RVCEXP
- Chevy Express, GM Savana Vans

RVCSPR
- Mercedes, Dodge Sprinter Vans

RVCFT
- FORD TRANSIT CUSTOM PLATE CAM

RVM430SP3K
- MERCEDES SPRINTER VAN 3 CAM AUTO SW. KIT

OPTIX-360

RVTOY2KE

- Toyota, Scion and Subaru
- 2012-2014 Backup Camera Kit
- Easy Plug-N Play back up camera interface adapter that allows video input for back up cameras. Automatically enables OEM head unit to switch to reverse camera when the vehicle is put into reverse gear.

2012-2013 Toyota Prius
· 2012-2013 Toyota Prius v
· 2012-2013 Toyota Prius c
· 2012-2013 Toyota Tacoma
· 2012-2013 Toyota Corolla
· 2013 Toyota Venza
· 2012-2013 Toyota Camry
· 2013 Toyota Highlander without Navigation
· 2013 Toyota Highlander Hybrid without Navigation
· 2013 Toyota Avalon
· 2013 Toyota 4Runner
· 2013 Toyota RAV4
· 2013-2014 Scion FR-S with BeSpoke Head Unit or Touchscreen OEM Headunit
· 2012-2014 Scion iQ with BeSpoke Head Unit or Touchscreen OEM Headunit
· 2012-2014 Scion xB with BeSpoke Head Unit or Touchscreen OEM Headunit
· 2012-2014 Scion xD with BeSpoke Head Unit or Touchscreen OEM Headunit
· 2012-2014 Scion tC with BeSpoke Head Unit or Touchscreen OEM Headunit
· 2013 Subaru BRZ
· 2012-2013 Subaru Impreza with OEM Fujitsu Ten Navigation
· 2012-2013 Subaru WRX (STI) with OEM Fujitsu Ten Navigation
· 2012-2014 Subaru Forester with OEM Fujitsu Ten Navigation

RVC1500IRA

- Front Windshield Car Interior IR Camera with Audio output
- 1/3" High Sensitivity CCD
- 420TV Lines
- 3.6mm Lens
- 6 IR LED
- Audio output
- DC 12V

RVC3600

- 360 Degree Waterproof Camera
- See whole interior, exterior or even under the car with one single camera
- Full 360º view CCD camera
- Waterproof all metal design housing
- Fully adjustable mount
- Lux 0.1
- Voltage 12vdc

RVC1300X2 (165º)

RVC1300N (165º NON-MIRROR)

RVC1307 (70º)
RVC1307N (70º NON-MIRROR)

- World's Smallest Waterproof Camera with surface & flush mount adaptor
- 165° View
- 0.5 Lux
- 5 0 13 VDC @ 80ma
- 380 TV Lines
- Size - 12 X 18mm
- Flush Mount Hole - 18mm
- All Electronics in camera

OPTIX-360

RVC1150

RVC1150T

RVC1150L

RVC1150 (REAR)
RVC1150T (TOP)
RVC1150L (LEFT)
RVC1150R (RIGHT)
- OEM Look Flush Mounting Cameras
- TV Lines : 420
- Viewing Angle : 170º
- IP67 Waterproof
- Sensitivity : 0.2 lux
- Current : 300mA
- Voltage : 12VDC
- Operating Temp : -20ºC ~ 60ºC

RVC1150R

RVCU100
- Car Front Camera with Ultrasonic Sensor
- 170 degree camera viewing angle
- Ultrasonic sensor with piezo warning tone
- Video OSD picture shows distance to obstacle

RVC1400IR
- Mini 360 Degree Waterproof IR Camera
- Sensor : Color 1/3" DSC
- 0 Lux with IR / F1.7
- 150º View
- Auto IR LED Photo Sensor
- 26mm (D) X 25mm (L)
- Voltage : DC 10.5V - 13V
- 60mA /80mA - 120mA (with LED

RVC22

RVC22E

- Dual Angle View Camera System
  Easily Switch from Wideview to Narrow View
- Dual Adjustable Cameras on Single Mount
- Wide Viewing Angle (2.96mm lens)
- Narrow Viewing Angle (3.8mm lens)
- Size 1" x 2.75" x 1"

RVC2000 (SURFACE MOUNT)
RVC2000BM (BRACKET MOUNT)
RVC2000BML (BRACKET MNT NON -MIRROR)
RVC2100 (FLUSH MOUNT)
- Full 180 degree viewing Backup Camera
- Unit has a digital video processor built into flatten out the 180º image to a standard image thats's easy to see
- Viewing Angle :
- True 180 Degree (Horizontal)
- 210 Degrees (Diagonal)
- Voltage : 10 - 15 VDC
- Video : NTSC

RVC3000
- Sony CCD Rearview Camera
- Fully programmable to adjust for height and position on vehicle
- .01 Lux
- 165 Degrees
- 12 VDC
- Flip Image from bottom to top view for Van/RV

RVC3000PR
-PROGRAMMER FOR RVC3000

OPTIX-360

RVM430NBTG (BT GLASS MOUNT)
RVM430NG (GLASS MOUNT)
RVM430NBT (BT CLIP ON)
RVM430NG3 (3 VIDEO GLASS)

- 4.3" Widescreen Rear View Monitor
- Slim Clip on Rear View Monitor
- 2 Video Inputs
- Front Button Controls
- Built in Bluetooth with Rear Speaker
- External Microphone
- Caller ID Shown on LCD Screen

RVM430CH (W/ COMPASS)

- 4.3" Widescreen Rear View Monitor with compas and auto dimming optional
- 2 video intputs

RVM102N

- 10.2" Widescreen Rear View Monitor
- 2 Video Input Switcher
- Easy Mounting
- Splt Screen Video

RVM103

- LCD 10.2"REAR MIRROR 3-VIDEO
- Displays 2-3 video images at the same time through MODE button
- Wide View Angle
- Anti Glare Mirror
- Touch Button Controls
- Dimensions: 11.25" x 4" x 1.5"

LCDP5VGA3V

- 5" Wide LCD Monitor with VGA Input 3 Video in w/ individual trigger wires
- VGA computer input
- Front A/V input
- Built in speakers
- IR Remote Control
- High resolution 800x480 digital Panel
- Removable sun screen shade

LCDP7RV (2 VIDEO INPUT)

LCDP7QUAD (4 VIDEO INPUT)

- 7" Back Up & Side View LCD Monitor with Two or Quad Video Inputs
- 2 or 4 Video Input with auto switching
- Removable Sun Shield
- Mounting Bracket and IR Remote Control

OPTIX-360

LCDP35D
- 3.5" LCD Display Standalone
- NTSC/PAL
- Display 16:9
- Resolution : 1440 X 234

LCDP35LSN
- High Def 3.5" LCD Monitor
- 360 Degree Rotatable Design
- Easy to Assemble
- Double multifunctional video input

LCDP43LW
- 4.3" LCD Display Standalone
- NTSC/PAL
- Display 16:9
- Resolution : 1440 X 234

LCDRV700K
- Truck/Van/RV 3 Camera System

LCDQUAD4SW
- QUAD Splitter / Switcher

LCDRV700WLKD (1 CAMERA)
- 100% Digital Wireless 7" LCD Wireless Camera Kit with Audio Camera System

LCDP7RVQUAD
- 360 degree view Camera system
- See all around your RV on a single LCD screen picture

LCDRV560WLKD
- Wireless Camera And Monitor Kit
- Wireless 5.6" LCD Camera
- IR Illuminators
- Microphone Built In
- Mounting Brackets Included

OPTIX-360

RVM430DVR
- 4.3" Rearview Mirror with Built in DVR
- Camera Moveable From Interior to Exterior Position

LCDRV700CCDWS
- Wireless Camera Kit
- Single or Auto Switcher
- 4 Channel Wireless Camera Kit
- IR Illuminators
- Microphone Built In
- Compatible with RV Monitors LCDRV700

DVR100SD
- Single Channel MPEG 4 Miniature DVR with Motion Detection
- Single channel DVR recorder
- Low power consumption
- Motion detection with auto buffer

DVR4SD
- 4 Channel VGA Resolution with motion sensor recording
- Time stamp, Alarm In / Alarm out, Lockable SD Card, Storage size is only limited to your SD card capcity (No Limit)
- Dimension : (D) 6 3/4 X (W) 6 3/4 X (H) 1 1/2
- Motion Sensor Recording
- 4 Channel VGA
- Lockable compact flash slot
- GPS Logger Option (location, speed, etc.)

DTV200
- ATSC & ATSC-MH Mobile TV Tuner
- IR Remote Control and Receiver
- DC Power Cable
- A/V Cable
- Pole Antenna
- USB 2.0 Input
- Resolution : 1920 X 1080i (ATSC)
  416 X 249 (ATSC-MH)

DVD5000
- Mini-Sized Slot-Load DVD/MP3/CD Player
- 360 Degree mounting
- USB card reader
- Signal: NTSC / PAL
- 1 AV Input
- 2 AV Outputs

DGL-1000
- DVR with Lane Departure and Collision Alert
- DVR 1080 resolution recording into its SD card
- GPS Speed and Location logging
- Lane Departure warning
- Collision Alert warning all built into 1 small unit that can be mounted behind the rearview mirror.

CDIRT
- 1 Channel Transmitter

ZHIR22TR
- 2 Channel Transmitter

ZHIR20 (1 CHANNEL)

ZHIR22 (2 CHANNEL)

- Infrared Wireless Stereo Single Or Dual Channel Headphones
- Touch On/Off Switch + Volume Control
- Extra Padded Ear & Headband Cushion
- Impedance: 32 Ohms +/- 4 Ohms
- Power Input Tolerance: 40mm Mylar Cone
- Automatic Power Off & Mute

OPTIX-360

BSS200

BSS200D (W/DISTANCE DISPLAY)

- 2 side sensors
- 2 dash or mirror mount LEDs
- Main control box
- Continuously indicating obstacles

RVCWIFI
- Digital Wifi Video Transmitter/Reciever Kit
- No RF Interface
- Four Channel Selector Switch
- 200 Feet Range
-

AVS420
- SWITCHER A/V 4-INPUT/2LCD POD*

CUSTOM ACCESSORIES

GAME110K125 (125 WATT GAME KIT)

GAME110K400 (400 WATT GAME KIT)

76125 (125 WATT INVERTER)

76400N (400 WATT/110V INVERTER)

- GAME KIT \ POWER INVERTERS

RFM37 (WIRED)
- WIRELESS OR WIRED FM MODULATOR
- Easily Add Audio to Any Video System Through the Existing Car FM Stereo Antenna
- Direct Connect 2 Frequency PLL Drift-Free FM Modulator 88.9/88.5MHz

VF1000
- Video Filter and Stabilizer
- Video Amplifier
- 1 input , 10 output
- 12 VDC

VF100
- Digital Video Noise Filter
- Engine alternator Video Noise
- Stabilizes Vertical Sync
- Stabilizes Horizontal Sync

ZAVS441
- 4 Audio / Video Input and Output
- LED Display (on Chassis)
- Remote Eye
- 7 1/4" (H) x 10 3/4" (W) x 1" (D)

ZVA400 (4 OUT)

ZVA800 (8 OUT)

- Video Amplifier
- Individual Fine Tune Signal Sharpness
- 4 or 8 Composite Video Outputs
- Single Composite Video Input
- 13/16" (H) x 6 9/16" (W) x 3 1/2" (D)

USAPRO SECURITY

RS505
- Wireless Waterproof Keyless Entry Keypad
- Stick onto Car Door
- Lock/Unlock Doors
- Open Trunk
- AUX Output. Programmable Momentary or Toggle On/Off
- 5 Button Illuminated Keypad
- Perfect for Custom Keyless Entry Access without the need of a Key or Remote
- Looks like Ford OEM Keypad

BU500
- 4 Sensor Back-Up System
- Flat, Flush-Mounting Sensors
- Unit Features 4 Sensor for Full Coverage
- Plug-in Piezo for Audio Indication
- Plug-in Color LED Visual Display
- Will work in Plastic and Metal Bumpers
- Unit Turns On & Off When You Put the Car in Reverse

BUF200TOY
- Front Parking Sensors For Toyota W/OBD2 Port

BUF200HON
- Front Parking Sensors For Honda W/OBD2 Port

BUF200BMW
- Front Parking Sensors For BMW W/OBD2 Port

LITTWORKS

LED DOOR PROJECTION LIGHTS
Snaps into original door light holes
Led projector built right into the door light housing.
Great for Car Dealer Preloads

DLED200V1
- CUSTOM DOOR LIGHT PROJECTORS for VW VEHICLES

DLED200HD
- CUSTOM DOOR LIGHT PROJECTORS for HONDA ACCORD AND CROSSTOUR

DLED200I
- CUSTOM DOOR LIGHT PROJECTORS for INFINITY VEHICLES

LITTWORKS

LED DOOR PROJECTION LIGHTS

Snaps into original door light holes
Led projector built right into the door light housing.
Great for Car Dealer Preloads

DLED200BZ
- CUSTOM DOOR LIGHT PROJECTORS FOR MERCEDES GL/R CLASS

DLED200L1
- CUSTOM DOOR LIGHT PROJECTORS FOR LAND ROVER LR3/RANGE ROVER & SPORT

DLED200B1
- CUSTOM DOOR LIGHT PROJECTORS FOR BMW GT/X5/X6/5/6/7 SERIES VEHICLES

DLED200LX
- CUSTOM DOOR LIGHT PROJECTORS FOR LEXUS IS/ES/GS/HS/LS/SC/RX/GX/LX

DLED200TY
- CUSTOM DOOR LIGHT PROJECTORS FOR TOYOTA CAMRY/YARIS/COROLLA/PRIUS/ SEQUOIA

DLED200CL
- CUSTOM DOOR LIGHT PROJECTORS FOR CADDILAC ELR/CTS/STS/SC/RX/ESCALADE/ DTS

DLED200BK2
- CUSTOM DOOR LIGHT PROJECTORS FOR BUICK LACROSSE/RAINIER/TERAZZA/ LUCERNE

DLED200SB1
- CUSTOM DOOR LIGHT PROJECTORS FOR SUBARU IMPREZZA/LEGACY/OUTBACK/ FORESTER

DRL1000 (1/2 WATT)

DRL2000 (1 WATT)

- Custom LED Daytime Running Lights
- High Output White LED
- Number of LED Lamps : 10
- Lightime : 50,000 Hours
- Drilling-hole Diameter : 1.95cm

DLED9000
- RGB LED LIGHT STRIPS W/REMOTE CONTROL

DRL1200
- DAYTIME RUNNING LIGHT KIT UNIVERSAL

QP HARDWARE

2054

- ACCELE® SCREW-N-SNAP
- Round screw mountable snaps. Ideal for custom panel mounts, cellular phones, amps, distribution blocks, etc.
- Easy on and off with the clean screwless look.
- Sold 12 to a pack.

309

- GENERAL MOTORS 4 x 10 to 6 x 9 or 6" ROUND
- Easily converts factory 4 x 10 location to 6 x 9
- Great for big bass sound. Rugged reinforced construction. Easily supports the heaviest speakers.

MODEL	DESCRIPTION
4915	ADJUSTABLE PORT TUBES (1.4" x 5 - 8")
4916	ADJUSTABLE PORT TUBES (2.0" x 5 - 9")
4917	ADJUSTABLE PORT TUBES (2.6" x 5 - 9")

MODEL	DESCRIPTION
RG525	5.25" MESH GRILLE
RG65	6.5" MESH GRILLE
RG8	8" MESH GRILLE
RG10	10" MESH GRILLE
RG12	12" MESH GRILLE

MODEL	DESCRIPTION
6101R	1" Brushed Aluminum Linear Actuator
6102R	2" Brushed Aluminum Linear Actuator
6104R	4" Brushed Aluminum Linear Actuator
6106R	6" Brushed Aluminum Linear Actuator
6108R	8" Brushed Aluminum Linear Actuator
6112R	12" Brushed Aluminum Linear Actuator
6120R	20" Brushed Aluminum Linear Actuator
6132R	32" Brushed Aluminum Linear Actuator

AIRVENTB2 (2")

AIRVENTB25 (2.5")

- Custom, adjustable air vents.

AIRVENTC2 (2")

AIRVENTC25 (2.5")

- Custom, adjustable air vents

BB3T

- PROLINE CAP BUSS BARS
- Gold plated brass
- A clean and easy way to hook up and display multiple power caps in parallel.
- 3 Triangle Caps Set

QP HARDWARE

MODEL	DESCRIPTION
4901	1 3/4" x 2 1/2" PORT TUBE
4903	2" x 2 1/2" PORT TUBE
4904	2 1/4" x 5" PORT TUBE
4910	2" x 4 1/2" PORT TUBE
4912	4" x 4 1/2" PORT TUBE
4914	6" x 6" PORT TUBE

CBM20 (20 AMP)
CBM30 (30 AMP)
CBM40 (40 AMP)
CBM50 (50 AMP)
CBM60 (60 AMP)
CBM70 (70 AMP)
- Inline circuit breakers

CBML120 (120 AMP)
CBML140 (140 AMP)
CBML160 (160 AMP)
CBML180 (180 AMP)
CBML200 (200 AMP)
- Manual Reset Circuit Breakers

DLS
- CUSTOM BACK LIGHTED SWITCH KIT
- 4 Switch Plate

DLSL
- Labels for DLS: TV/VCP, Video Game and Aux.

INV10
- INVISIBLE SWITCH
- The Invisible Toggle switch senses the electrostatic touch of your finger tip through any dash plastic up to 1/8 inch thick
- Great for stealth control of accessories.

MLX3PF (3 PIN FEMALE)
MLX3PM (3 PIN MALE)
MLX4PF (4 PIN FEMALE)
MLX4PM (4 PIN MALE)
- MOLEX CONNECTORS 100 Count

MLXF (FEMALE)
MLXM (MALE)
- Molex Connector Pins 100 Count

WM12
- BLACK WIRE MESH SCREENS 12" x 12"

LCDPB35
- 3.5" LCD VIDEO TESTER